Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3421	709/206-207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 18:21
S2	12	S1 and open near2 relay	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 16:03
S3	154	S1 and (header routing messag$5) near5 relay	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 16:14
S4	171	S1 and (header rout$5 messag$5) near5 relay	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 16:13
S5	25	S4 and (detect$5 pars$5 extrac$6 check$5 report$6 stop$5 spam$5 determin$5 identif$6) near5 relay	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 16:12
S6	2	S4 and (detect$5 pars$5 extrac$6 check$5 report$6 stop$5 spam$5 determin$5 identif$6 find$5 locat$5) near5 open near2 relay	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 16:14
S7	35	(header routing route transfer$5 messag$5) near5 open adj1 relay	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 16:16
S8	2	S1 and (header routing route transfer$5 messag$5) near5 open near2 relay	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 18:17
S9	3421	709/206-207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 18:21
S10	52	S9 and (header routing route) near5 (ISP service adj1 provider facilitat$6 near2 (party entity provid$5 domain IP address$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 18:21
S11	25	S10 and (determin$5 identif$8 notif$7 report$6) near5 (ISP service adj1 provider facilitat$6 near2 (party entity provid$5 domain IP address$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/27 18:22

Google

open relay list check in routing information   Search   Advanced Search
Preferences

Web   Results **11 - 20** of about **1,120,000** for **open relay list check in routing information**. (0.08 seconds)

AAPT Internet Support **Information**
Configuring MS Exchange Server to avoid **Open Relay ... Routing
Information** · FAQ on Multi-homing and BGP · Traceroute to **check** your
routing configuration ...
info.connect.com.au/ - 7k - Cached - Similar pages

Antispam approaches
Honeypots - Some spammers use **open relays** on the Internet to send
their spam on ... These features usually consist of filters that **check**
incoming e-mail and ...
searchnetworking.techtarget.com/
general/0,295582,sid7_gci1078289,00.html - 34k - Cached - Similar pages

.NET Magazine - Ask the Exchange Pros - Eliminate **Open-Relay ...**
An **open-relay list**, also known as a black-hole **list** or a realtime black-hole ... As with
Exchange 5.5, the best tactic is to **check** the Only the **list** below ...
www.ftponline.com/wss/2002_09/ magazine/columns/askthepros/default_pf.aspx - 27k -
Cached - Similar pages

Network Working Group Craig Partridge Request for Comments: 974 ...
It is also possible to cause mail looping because **routing information** is ... to **check** with a
host's administrator before adding that host to a **list** of MXs). ...
www.sendmail.org/rfc/0974.txt - 19k - Cached - Similar pages

Troubleshooting IP **Routing** Protocols (CCIE Professional ...
Understanding **Routing Information** Protocol (RIP). Metric. Timers. ... OSPF Neighbor **List**
Is Empty-Cause: Frame **Relay**/Dialer Interface Missing the broadcast ...
www.ciscopress.com/title/1587050196 - 62k - Sep 25, 2005 - Cached - Similar pages

Nominum, Inc. :: **Open** Source Resource
CSNET-**RELAY**.ARPA). Under domains, one cannot simply **open** a connection to
LOKI.BBN. ... It is also possible to cause mail looping because **routing information** ...
www.nominum.com/popupStandard.php?id=34 - 43k - Cached - Similar pages

About Us - Spam Filtering
Open relays are computers on the Internet that are not set up to prevent ... that includes
the sender and receiver's address and **routing information**), ...
www.mweb.com.na/index.php?fSectionId=34 - 25k - Cached - Similar pages

Check Point Software: VPN-1/FireWall-1/FloodGate-1 Application ...
Below is a partial **list** of applications, protocols and services supported by ... OSPF **Open**
Shortest Path First Protocol. RIP **Routing Information** Protocol ...
www.**check**point.com/products/ firewall-1/vpn-1_firewall-1_appsupport.html - 71k - Sep 25,
2005 - Cached - Similar pages

Rhodes University
CHECK AN IMAP QUOTA · OVER QUOTA **LIST** · CHANGE STAFF IMAP/POP
PASSWORD ... Prohibit our mail gateways from acting as **open relays**, with the
complication that ...
www.ru.ac.za/itdiv/email/spamstuff.html - 21k - Sep 25, 2005 - Cached - Similar pages

What is **open relay**? - A Word Definition From the Webopedia ...
This page describes the term **open relay** and **lists** other pages on the Web ... For internet.com pages about **open relay** . Also **check** out the following links! ...
www.webopedia.com/TERM/o/**open_relay**.html - 47k - Cached - Similar pages

◀ Gooooooooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 1011   **Next**

| open relay list check in routing inforr | Search |

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - Hurricane Resources - About Google

©2005 Google

Google

open relay list check in routing information   Search   Advanced Search
Preferences

Web   Results **31 - 40** of about **1,120,000** for **open relay list check in routing information**. (0.11 seconds)

Stopping Spam Part II
Limiting SMTP access to known blocks of **open** mail **relays** (for example,
... Blocking access to known **open relays** via access control **lists** (ACL's)
on **routers** ...
www.cnetwork.com/~rhaskins/oct02.html - 18k - Cached - Similar pages

Compatible Systems Setup Guides: Frame **Relay** CompatiView ...
... will **open** a **list** of all the Compatible Systems devices on your network.
... Select the 'IP **Routing**' radio button; Select the **check** box for
'Numbered ...
www.cisco.com/en/US/products/hw/routers/
ps4081/products_configuration_example09186a008009425f.shtml - 21k -
Cached - Similar pages

Distributed Sender Blackhole **List**
However, as SMTP **relaying** methods become more and more known and **lists**, ...
Relaying through **open** SMTP servers is still the most abused method of ...
dsbl.org/**relay**-methods - 26k - Cached - Similar pages

IMS Course Catalog
Static Default **Routes**; Sharing Default **Routes**; Default-**Information**; Area Default ... Partial
- Mesh Frame **Relay** Configuration; Performance Tuning of OSPF ...
www.imsinc.com/course.asp?IMSID=388 - 42k - Cached - Similar pages

SUCON'04 - **List** of Talks
... Gateway Protocol, BGP, is the standard protocol to exchange **routing information**. ...
Now that almost everybody is using **open relay** and **open** proxy **lists**, ...
www.suug.ch/sucon/04/programme_f.html - 52k - Sep 25, 2005 - Cached - Similar pages

rickconner.net :: Filtering spam
to filter on addresses or on **routing information**; how about filtering on message ... The
filters can use combinations of block-**lists**, **open-relay** detection, ...
www.rickconner.net/spamweb/filtering.html - 32k - Cached - Similar pages

Boulder Community Network, Internet Center, Spam
The **Open Relay** Data Base keeps records on Internet Service Providers who are not
adhering ... To get more **information** about how to do this, **check** the Usenet ...
bcn.boulder.co.us/inet/inetspam.htm - 30k - Cached - Similar pages

Top 75 Network Security Tools
Respondents were allowed to **list open** source or commercial tools on any platform. ... DNS
zone transfer, SMTP **relay check**, website search, and more. ...
www.insecure.org/tools.html - Similar pages

Atrium, Atrium MERCUR Messaging 2005 buy / order a registration at ...
Check open relay database by using DNS suffix The **Open Relay** Database ... The number
of mailing **lists** and members in MERCUR Messaging 2005 are unlimited. ...
www.btsoftware.com/products/mercur.htm - 45k - Cached - Similar pages

Review of Vamsoft's **Open Relay** Filter and Eight DNSBL's

Vamsoft no longer sells the Standard Edition version of **Open Relay** Filter. Just as well,
since a major shortcoming was that the DNSBL **information** was ...
www.bytebrothers.org/OpenRelayFilter.htm - 46k - <u>Cached</u> - <u>Similar pages</u>

◀ Goooooooooooogle ▶

Result Page: **Previous** <u>1</u> <u>2</u> <u>3</u> **4** <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u><u>11</u><u>12</u><u>13</u> **Next**

| open relay list check in routing inforr | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>Hurricane Resources</u> - <u>About Google</u>

©2005 Google

Web Images Groups News Froogle Local **more »**

open relay list check in routing information   Search   Advanced Search
Preferences

Web   Results **51 - 60** of about **1,120,000** for **open relay list check in routing information**. (0.10 seconds)

Spam Policy and Prevention
1) the mail server being an **open relay** that is in use or could be in use
by ... private black **list** at http://nexusinternetsolutions.net/spam-
check.php. ...
nexusinternetsolutions.net/spam.html - 15k - Cached - Similar pages

[Exim] **Open relay**?
[Exim] **Open relay**? j2 spamfilter2 at mupp.net ... +local_domains"? yes
(end of **list**) 26875 **check** local_parts = ^[./|] : ^.*[@%!] : ^.*/\\.\\. ...
www.exim.org/pipermail/exim-users/ Week-of-Mon-20040628/073520.html
- 22k - Cached - Similar pages

United States Patent Application: 0050172213
[0118] The **routing information** 904 **lists** all the **relays** 824 that allegedly ... [0130] A
check for **open relays** 820 in the **routing information** is performed to ...
appft1.uspto.gov/.../ udi - 101k - Cached - Similar pages

Electrodata Telecom Acronym **List**, DS0, T1, T3, STS1 SONET, Line ...
telecommunications telecom communications acronym acronyms **list** DS0, T1, T3, ... RFI
Radio Frequency Interference RIP **Routing Information** Protocol RLCI ...
www.electrodata.com/Acronym.htm - 44k - Cached - Similar pages

CompanyV.com - how to send mass email legally - how can you ...
Your email's "From," "To," and **routing information** - including the originating ... by taking
advantage of **open relays** or **open** proxies without authorization. ...
www.companyv.com/mass-email-requirements.html - 40k - Sep 25, 2005 -
Cached - Similar pages

RodentNet: ad hoc IP Tools
DNS Dig, mx (Mail **routing information**), a (Host address) ... **Check** AOL **Open Relay**
Database. Source: America Online Mail server IP:. ARIN Whois (IP Registry) ...
tatumweb.com/iptools.htm - 32k - Cached - Similar pages

The Exchange Server Troubleshooter
Exchange Server dynamically recalculates its **routing** rules when someone adds or
removes connectors. ... My exchange server has be **listed** as an **open relay**. ...
www.windowsitpro.com/MicrosoftExchangeOutlook/ Article/ArticleID/5600/5600.html -
Similar pages

[PDF] inside:
File Format: PDF/Adobe Acrobat
Limiting SMTP access to known blocks of **open** mail **relays** (eg, Korea) ... mail
infrastructure, though Sendmail-specific **information** is **listed** within this ...
www.usenix.org/publications/ login/2002-10/pdfs/haskins.pdf - Similar pages

abuso.cantv.net : Documents and Policies : General **Information**
DSBL - Distributed Server Boycott **List**. ORDB - **Open Relay** Database. Spamhaus - The
Spamhaus Project. SORBS - Spam and **Open Relay** Blocking System ...
abuso.cantv.net/docs/info - 16k - Cached - Similar pages

Spam, Spam, ...Lovely Spam: Campus Technology

Sponsored Links

Routing
Routing
Start your search here.
zimply.com

Bank **Routing** Numbers
Online Verification, Databases and
Web Services. Free Trial Access!
www.lyonsreg.com

If it does, they conclude the source is an **open relay** and block e-mail coming to ... to begin collecting the **lists** of **open relays** to use them as a **check** by ...
www.campus-technology.com/print.asp?ID=7771 - 17k - <u>Cached</u> - <u>Similar pages</u>

◀ Goooooooooooooooogle ▶
Result Page: **Previous** <u>1</u> <u>2</u> <u>3</u> <u>4</u> <u>5</u> **6** <u>7</u> <u>8</u> <u>9</u> <u>10</u><u>11</u><u>12</u><u>13</u><u>14</u><u>15</u>   **Next**

| open relay list check in routing inforr | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>Hurricane Resources</u> - <u>About Google</u>

©2005 Google

Google

open relay list header notify mailer | Search |

Web   Results **1 - 10** of about **120,000** for <u>open</u> <u>relay</u> <u>list</u> <u>header</u> <u>notify</u> <u>mailer</u>. (**0.47** seconds)

Did you mean: <u>open relay list header notify *mail*</u>

<u>Open Relay</u> <u>Database - FAQ</u>
If the ip # is **listed** as an **open relay**, this **header** will be inserted # in the
... Optionally, we can **notify** you as soon as we discover an **open relay** within ...
www.ordb.org/faq/ - 63k - <u>Cached</u> - <u>Similar pages</u>

<u>Welcome to Outlook Éxchange</u>
Various RBL **lists** define spam **relay** hosts using different methods. ... (www.ordb.org),
Automated testing of SMTP server for **open relay** capabilities ...
www.outlookexchange.com/Articles/JohnYoung/article1.asp - 36k - <u>Cached</u> - <u>Similar pages</u>

<u>Email</u>
Fast **Mailer** Pro is an ultra fast subscription-based mass **mailer** used by many ...
checking mail **headers** for Spam practices, ORDB (**open relay**) and source ...
www.winportal.com/file.asp?ObjectID=3559&Start=201 - 37k - <u>Cached</u> - <u>Similar pages</u>

<u>Rhodes University</u>·
The problem is with what are known as **open** mail **relays**, ie mail systems ...
put the important.com system into their black **list** and **notify** the administrators ...
www.ru.ac.za/itdiv/email/rblfaq.html - 20k - <u>Cached</u> - <u>Similar pages</u>

<u>Email - Internet & Networking</u>
The Trojan Bulk **Mailer** sends ultra high-speed mails effectively, completely
bypassing your ISP's ... Company: **Open Relay List** Test Date Released: 24-06-2003 ...
www.programurl.com/internet-networking-email-35.htm - 58k - <u>Cached</u> - <u>Similar pages</u>

<u>Articles</u>
Confirming that your server is not **listed** as an **open relay** ... The resulting
MAILER-DAEMON notifications will clog the queue for several days. ...
software.newsforge.com/print.pl?sid=05/05/12/1510200 - 16k - <u>Cached</u> - <u>Similar pages</u>

<u>Neohapsis Archives - Incidents list - Re: FW: Postmaster notify ...</u>
... Incidents **list** / Message Index / Re: FW: Postmaster **notify**: User unknown ...
open relay (returning 550 errors for a domain that you're not a part of, ...
archives.neohapsis.com/ archives/incidents/2000-12/0093.html - 10k - <u>Cached</u> - <u>Similar pages</u>

<u>Setting up the JANET Mailer Shield</u>
Added **header** lines. On request, the **relays** of the JANET **Mailer** Shield service
... the Dial-up User **List** (DUL), the Real-time Blackhole **List** (RBL) and **Open** ...
www.ja.net/services/network-services/ mail/**mailer**-shield/how-it-works.html - 50k - Sep 25, 2005 -
<u>Cached</u> - <u>Similar pages</u>

<u>Controlling e-mail spam</u>
Using this routine, you can prevent your **mailer** from being misused that way. ...
[Microsoft Exchange]: **Open Relay** Filter is a tool that prevents **relaying** ...
spam.abuse.net/adminhelp/mail.shtml - 28k - Sep 25, 2005 - <u>Cached</u> - <u>Similar pages</u>

<u>EFF: Noncommercial Email Lists: Collateral Damage in the Fight ...</u>

Noncommercial Email **Lists**: Collateral Damage in the Fight Against Spam **...**
despite the fact that **open relays** have legitimate non-spam uses. **...**
www.eff.org/wp/?f=SpamCollateralDamage.html - 49k - Cached - Similar pages

Did you mean to search for: open relay list header notify **mail**

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Google Desktop Search ⊘ ▾ 🌐 ⊛ 9:30 AM
Free! Instantly find your email, files, media and web history. Download now.

| open relay list header notify mailer | Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - Hurricane Resources - About Google

©2005 Google

Google

open relay list header notify mailer   Search   Advanced Search
                                                  Preferences

Web   Results **11 - 20** of about **120,000** for **open relay list header notify mailer**. (0.11 seconds)

JANET Mailer Shield Service Appendix B
RSS: The **Relay** Spam Stoppers **list**. OPS: The **Open** Proxy Stopper **list**. ... Any spam
which scores 7 or less should be sent here with full **headers** and body text ...
www.ja.net/services/network-services/ mail/**mailer**-shield/spam-tagging.html - 42k - Sep 25, 2005 -
Cached - Similar pages
[More results from www.ja.net]

Preventing **relaying** in Netscape Messaging Server
This **header** appears ONLY if the user's password has # been successfully ...
the MAPS Dial-Up **List** (DUL), the MAPS **Relay** Spam Stopper, and the **Open Relay** ...
www2.tsc.com/~bobp/nms-no-**relay**.html - 33k - Cached - Similar pages

Re: Zmailer accepts mail from <> (empty address) - causes problems
<rogbabb@ix.netcom.com> (reason: 550 Dialups/**open relays** blocked. ... Parse error
in envelope, before checking that **NOTIFY**=NEVER. Must tell **mailer**-daemon. ...
www.**zmailer**.org/mhalist/2002/msg00873.html - 8k - Cached - Similar pages

SamSpade.org
In the case of an email request this would be the **headers** of the original ...
Aggressive, automatically maintained **list** of **open relays**, closed **relays** which ...
www.samspade.org/d/nanaefaq.html - 29k - Cached - Similar pages

Stopping Spam and Malware with **Open** Source
Unlike most other databases that **list open relays**, the MAPS RSS only **lists** hosts
... However, the RFC 822 From: **header** and envelope MAIL FROM: address, ...
www.brettglass.com/spam/paper.html - 104k - Cached - Similar pages

ZyTrax Security - Mail Servers
We **relay** mail only for our own logged in (authenticated) customers and for ...
ORDB Black **List** · SPF Registration · mail-abuse.org · **OPEN RELAY** TEST ...
www.zytrax.com/security/mail_service.htm - 18k - Cached - Similar pages   ,

CommuniGate Pro Server: Message Transfer
To specify the Queue processing options, **open** the Queue page in the Settings ...
The Hop Counter is the number of Received: **header** fields in the message. ...
https://mx2.arl.org/Guide/Transfer.html - 27k - Cached - Similar pages

Linux Online's Linux Course for Intermediate Level Users
I have seen cases where people have forged IP addresses in mail **headers** to ...
The **Open Relay** Database - ordb.org is a well-known, free **list** of **open relays**. ...
www.linux.org/lessons/interm/x1873.html - Similar pages

The SpamBouncer: Variables Reference
+AHBLRELAYCHECK, Enables support for the AHBL **open** SMTP **relays** blocklist. no ...
+BLOCKREPLY, Tells the SpamBouncer whether you want to **notify** senders when ...
www.spambouncer.org/reference/variables.shtml - 74k - Cached - Similar pages

SBC Yahoo! Help
As a bulk **mailer**, what can I do to ensure that my email goes to the right folder?

... Open proxies, **open relays**, broken formmail scripts, and other insecure **...**
help.yahoo.com/help/us/sbc/mail/spam/spam-17.html - 16k - <u>Cached</u> - <u>Similar pages</u>

◀ Gooooooooooogle ▶
Result Page: **Previous** <u>1</u> **2** <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u><u>11</u>   **Next**

open relay list header notify mailer   Search

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>Hurricane Resources</u> - <u>About Google</u>

©2005 Google

Google

open relay list header notify mailer | Search | Advanced Search
                                                Preferences

Web   Results **51** - **60** of about **120,000** for **open relay list header notify mailer**. (**0.12** seconds)

What's new in sendmail 8.8?
I will further comment this **list**, as soon as I've tried these features, ...
DSN Delivery status **notification** can now be requested via command line ...
www.sendmail.org/~ca/email/sm8.8.new.html - 10k - Cached - Similar pages

amavisd-new
amavisd-new is a high-performance and reliable interface between **mailer** (MTA)
and one ... This means the per-recipient handling of mail **relaying** and **header** ...
www.ijs.si/software/amavisd/ - 90k - Sep 25, 2005 - Cached - Similar pages

EcoFuture resources on junk email (junk mail) and spam
Cracking Forged **Headers**; Spam Combat; Fraud; E-mail Filtering and **lists** of ...
ORBS **lists open relay** servers even if spam hasn't yet been sent through them. ...
www.ecofuture.org/jmemail.html - 49k - Cached - Similar pages

[PDF] CONFIDENTIAL DRAFT
File Format: PDF/Adobe Acrobat - View as HTML
by EFF in 2003 revealed that many organizations with large email **lists**, ...
servers to hide their identities, despite the fact that **open relays** have ...
www.eff.org/wp/SpamCollateralDamage.pdf - Similar pages

Delivery Status **Notification** (Failure)
This is an automatically generated Delivery Status **Notification**. ... Received via
a **relay** in **list**.dsbl.org [RBL check: found 2.187.251.61.**list**.dsbl.org] ...
lists.gnu.org/archive/html/ help-awacs/2003-02/msg00006.html - 13k - Cached - Similar pages

#ident "@(#)smail:$Id: ToDo,v 1.126 2005/09/06 19:52:38 woods Exp ...
This raises the question of addresses from the BCC **header** ending up in the ...
be used to block even command-line users from sending to a known **open relay**. ...
www.weird.com/~woods/projects/smail.ToDo.txt - 62k - Cached - Similar pages

Qmail Configuration - H-Sphere Sysadmin Guide - Positive Software ...
Default: **MAILER**-DAEMON;; bouncehost: the host of a bounce message ... is taken
and the default **notification** (Default.) shows up in the configuration **list**. ...
www.psoft.net/HSdocumentation/ sysadmin/qmail_configuration.html - 45k - Cached - Similar pages

Smtp Software
Along with a mass **mailer** the program can be used as a **relay** server for sending
... **Lists** Save Attachments SMTP Auth Mail-Merge Filtering **Headers** Mailbox ...
www.programurl.com/software/smtp7.htm - 81k - Cached - Similar pages

Canada Web Hosting: Acceptable Use Policy
Upon detection or **notification** of an alleged violation of the Policy and prior
... a publicly-accessible "**open relay**" SMTP or anonymous re-**mailer** service. ...
www.canadawebhosting.com/proactive_support/aup.asp - 25k - Cached - Similar pages

[PDF] Blocking Spammers with DNS Blacklists Blocking Spammers with DNS ...
File Format: PDF/Adobe Acrobat - View as HTML
Open-relay lists are extremely popular forms of DNSBLs. ... A registered SpamCop